


TPD Notification(ASTER)

Product Photo:				
				
1、 Field Descriptions				
2、 SUBMITTER CHARACTERISTICS				
Field #	Field	Description	Reporting Mandatory (M) or Optional / mandatory fields (F)	To be filled by
	Product-ID-Other-Exist	N/A	M	Eleaf
	Product-ID-Other	N/A	F	Eleaf
	Product-Same-Composition-Exist	N/A	M	Eleaf
	Product-Same-Composition-Exist-Other	N/A	M	Eleaf
	Product-Weight-E-liquid	N/A	F	Eleaf
	Product-Volume-E-liquid	N/A	F	Eleaf
	Product-Manufacturer-Indentification	Shenzhen Eleaf Electronics Co., Ltd.	M	Eleaf
	Product-Site-Address	Area B, 1F, B-28, Heyi Beifang Tech Industrial Park, Shajing Town, Baoan District, Shenzhen, China.	M	Eleaf
	Product-CLP-Classification	N/A	F	Eleaf
	Product_Launch_Date	2016/5/18	M	Eleaf
	Product_Package_Units	1	M	Eleaf

TPD Notification(ASTER)

6、PRODUCT DESIGN

Field #	Field	Description	Reporting Mandatory (M) or Optional / mandatory fields (F)	To be filled by
	E-Cigarette_Description	<p>The 'ASTER' kit (the internal code is EK001) consists of a battery cover and control unit and a removable, refillable e-liquid 'LYCHE (2ml)' atomizer. The power and control unit consists of a main housing, a battery cover, a front cover and a PCB with LED screen to provide a user interface. The 'LYCHE (2ml)' atomizer consists of a base which accepts the atomizer and provides a connection between the power/control unit and the e-liquid contained within the tank. The upper section of the tank contains the e-liquid which is sealed between itself and the base, as well as supporting a mouthpiece. 1 x LT Dual 0.25ohm (the internal code is EA001), 1x LT NC 0.25ohm and 1x LYCHE RBA atomizer heads or other LT series atomizer heads are supplied.</p>	M	Eleaf
	E-Cigarette_Liquid_Volume/Capacity	2ml	M	Eleaf
	E-cigarette_Nicotine_Concentration	N/A	F	Eleaf
	E-Cigarette_Battery_Type	Li-ion	F	Eleaf
	E-Cigarette_Battery_Type_Capacity	2200mAh	F	Eleaf
	E-Cigarette_Volt/Watt_Adjustable	both are adjustable	M	Eleaf
	E-Cigarette_Voltage	N/A	F	Eleaf
	E-Cigarette_Voltage_Lower_Range	0.5V	F	Eleaf
	E-Cigarette_Voltage_Upper_Range	9V	F	Eleaf
	E-Cigarette_Wattage	N/A	F	Eleaf
	E-Cigarette_Wattage_Lower_Range	1W	F	Eleaf

TPD Notification(ASTER)

	E-Cigarette_Wattage_Upper_Range	75W	F	Eleaf
	E-Cigarette_Airflow_Adjustable	adjustable	M	Eleaf
	E-Cigarette_Wick_Changeable	no	M	Eleaf
	E-Cigarette_Microprocessor	the e-cigarette contains a microprocessor	M	Eleaf
	E-Cigarette_Coil_Composition	Ni -Cr Alloy	M	Eleaf
	Coil Resistance	EC0.25	M	Eleaf
	E-Cigarette-Production-Conformity decl.	<input checked="" type="checkbox"/>	M	Eleaf
	E-Cigarette-Quality -Safety	<input checked="" type="checkbox"/>	M	Eleaf
	Child Tamper Proof decl.	<input checked="" type="checkbox"/>	M	Eleaf
	E-Cigarette_Production _File	attachment	M	Eleaf
	E_Cigarette_Opening/Refill _File	attachment	F	Eleaf
	E-Cigarette -Consistent dosing methods -File	attachment	M	Eleaf
	E-Cigarette -Consistent nicotine -dose/uptake file	attachment	M	Eleaf